



HD 5/11 Cage Classic

HD 5/11 Cage Classic water blaster is low weight, high mobility and offers high performance.



1 Durable and robust

- The three-plunger axial piston motor unit, including brass cylinder heads, ensures exceptionally high working times.
- The sturdy tubular frame provides protection in continuous heavy-duty use.

2 Versatile

- The machine can be attached to the floor or the wall.
- Very compact construction style and minimal weight.

3 Easy to service

- Excellent access to all relevant components.



HD 5/11 Cage Classic

- Continuous use possible thanks to durable axial pump
- Robust frame protects even in the toughest working conditions
- Ergonomically designed handle

Technical data


| | | |
|------------------------|---------------|-----------------|
| Order No. | 1.520-204.0 | |
| EAN code | 4054278068497 | |
| Current type | Ph / V / Hz | 1 / 230 / 50 |
| Flow rate | l/h | 500 |
| Working pressure | bar / MPa | 110 / 11 |
| Max. pressure | bar | 160 |
| Max. feed temperature | °C | 60 |
| Connected load | kW | 2,2 |
| Weight | kg | 22 |
| Dimensions (L x W x H) | mm | 475 x 330 x 332 |

Equipment

| | | |
|---------------------------|----------------------|--------------------|
| Spray gun | Standard trigger gun | |
| High-pressure hose | m | 10 / DN 6, 250 bar |
| Spray lance | mm | 600 |
| Power nozzle | ■ | |
| Anti-twist system | ■ | |
| Pressure switch-off | - | |
| High-pressure spray lance | ■ | |
| Servo control | - | |
| ■ | | |

HD 5/11 CAGE CLASSIC

1.520-204.0



| | | Order No. | Length | | | | Price | Description | |
|----------------------------------------------------------|---|-------------|--------|--|--|--|-------|-------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| Automatic, self-winding hose reels | | | | | | | | | |
| Automatic hose reel, powder-coated steel / plastic | 1 | 6.392-975.0 | 20 m | | | | | Automatic hose reel for 20 m high-pressure hose. The console is made from powder-coated steel, the drum is made from plastic. | <input type="checkbox"/> |
| Automatic stainless steel / synthetic material hose drum | 2 | 6.392-965.0 | 20 m | | | | | Automatic hose reel for 20 m high-pressure hose. The console consists of stainless steel, the drum is made from plastic. | <input type="checkbox"/> |

☐